

Revision			
Rev.	Description	Date	Approved
Α		2014/12/2	

Hole to Hole	71.5	mm
Outer Ring Dia.	80	
Ring Width	2.2	
Ribs x 5 Width	2.2	
Mounting bars	4.7	
Spacing Width	6 ~ 6.2	
Height	6.5	
Staging Rings	3	Rings

Material:

Reinforced ABS, UL94-V0


Color:

Standard Black

Other Colors are available but MOQ required

Electronic Associates (Taiwan) Ltd.

Part Number: EPG-80P



Revision			
Rev.	Description	Date	Approved
Α		2014/12/2	

Hole to Hole	71.5	mm
Outer Ring Dia.	80	
Ring Width	2.2	
Ribs x 5 Width	2.2	
Push-on Bars x 4	5.7	
Spacing Width	6 ~ 6.2	
Height	4.2	
Staging Rings	4	Rings

Material:

Reinforced Thermoplastic Nylon UL94HB


Color:

Standard Black

Other Colors are available but MOQ required

Electronic Associates (Taiwan) Ltd.

Part Number: EPG-80P2



Revision			
Rev.	Description	Date	Approved
Α		2014/12/2	

Hole to Hole 71.5 mm Outer Ring Dia. 80 Ring Width 1.2 ~ 1.5 Ribs x 4 Width 2.0 ~ 2.4 Ribs x 4 Width 1.2 ~ 1.5 **Mounting Bars** 5.7 Spacing Width 4~4.2 Height 6.5 **Staging Rings** Rings

Material:

Reinforced Thermoplastic Nylon UL94HB


Color:

Standard Black

Other Colors are available but MOQ required

Electronic Associates (Taiwan) Ltd.

Part Number: EPG-80P2A



Revision			
Rev.	Description	Date	Approved
Α		2014/12/2	

Hole to Hole	71.5	mm
Outer Ring Dia.	80	
Ring Width	2.2	
Ribs x 5 Width	2.2	
Mounting Bars	3.5	
Spacing Width	6 ~ 6.2	
Height	4.2	
Staging Rings	4	Rings

Material:

Thermoplastic glass fiber reinforced

ABS, UL94-V0

Color:

Standard Black

Other Colors are available but MOQ required

Electronic Associates (Taiwan) Ltd.

Part Number: EPG-80P4